

2.9: Autonomous Equations and Stability

Form: $x' = f(x)$

Implicit Solution:

$$\int [1/f(x)] dx = \int dt$$

$$\Rightarrow G(x) = t + C$$

where $G(x) = \int [1/f(x)] dx$ is an antiderivative of $1/f(x)$

Consequence: If $x(t)$ is solution
 $\Rightarrow x(t + C)$ is solution

Equilibrium Point x_0 :

Solution of $f(x_0) = 0 \Rightarrow$
 $x(t) = x_0$ is constant solution

Ex: $x' = \sin(x)$, $y' = y^2 + 1$

are autonomous

$x' = \sin(tx)$, $y' = xy$

are *not* autonomous

Ex.: $v' = -g - kv/m$

$f(v) = 0 \Rightarrow v_{term} = -gm/k$

is equilibrium point

Ex.: $x' = (x^2 - 1)(x - 2)$


$f(x) = (x - 1)(x + 1)(x - 2) = 0$

$\Rightarrow x_1 = 1, x_2 = -1, x_3 = 2$


are equilibrium points

- **Direction Field:** same slopes on horizontal lines
- **Equilibrium Solutions $x(t) = x_0$:**

$$f(x_0) = 0 \Rightarrow \text{solution curves are horizontal line}$$
- **Stability of Equilibrium:** Equilibrium point x_0 is
 - asymptotically stable if $x(t) \rightarrow x_0$ for $t \rightarrow \infty$ when $|x(0) - x_0|$ is sufficiently small
 - unstable if there are solutions $x(t)$ with $|x(0) - x_0|$ arbitrarily small that move away from x_0 when t increases



Ex.: $v' = -v - 1$
 $v_0 = -1$: asymptotically stable



Ex.: $x' = x(1 - x^2)$
 $x_1 = 0$: unstable
 $x_{2,3} = \pm 1$: asymptotically stable

Qualitative Analysis

Properties of Solutions

- Equilibrium solutions divide tx -plane into horizontal funnels
- In each funnel solutions are
-increasing if $x' = f(x) > 0$
-decreasing if $x' = f(x) < 0$

Phase Line Plots

- Sketch graph $f(x)$ versus x
- Mark equilibrium points on x -axis
- Indicate direction of motion ($x(t)$ decreasing or increasing) by arrows
- Use this to sketch solutions

Stability Criteria


Equilibrium point x_0 is

- asympt. stable if $f'(x_0) < 0$
- unstable if $f'(x_0) > 0$

If $f'(x_0) = 0$ inspect graph

Ex.: $x' = x - x^3 = x(1 - x)(1 + x)$


- $f(x) = 0 \Rightarrow x = 0, 1, -1$
- $f'(0) = 1 \Rightarrow 0$ is unstable
- $f'(\pm 1) = -1 \Rightarrow \pm 1$ are as. stable



Ex.: $x' = x - x^2 = x(1 - x)$

Equilibria:

- $x = 0 \Rightarrow f'(0) = 1 \Rightarrow$ unstable
- $x = 1 \Rightarrow f'(1) = -1 \Rightarrow$ as. stable




Ex.: $x' = x(1 - x)^3$

Equilibria:

- $x = 0 \Rightarrow f'(0) = 1 \Rightarrow$ unstable
- $x = 1 \Rightarrow f'(1) = 0 \Rightarrow ??$

Graph \Rightarrow asympt. stable



Ex.: $x' = -x(1 - x)^2$

Equilibria:

- $x = 0 \Rightarrow f'(0) = -1 \Rightarrow$ as. stable
- $x = 1 \Rightarrow f'(1) = 0 \Rightarrow ??$
- Inspect graph: $\Rightarrow x = 1$ is as. stable on right side, unstable on left side (semistable)

